


December / Dicembre 2015

CometNews

K 891 TS PREMIUM K 991 TS PREMIUM



Electrical cold water
HP water cleaners

*Idropultrici elettriche
ad acqua fredda*



K 891 TS Premium



Reversible handlebar for easy handling by pushing

Manubrio reversibile per movimentazione a spinta



GENERAL FEATURES

- Heavy duty structure with stainless steel cover
- Readily serviceable brass suction filter
- Hot water seals
- 4-pole motor (1400 rpm) well oversized and protected with paint
- Delayed TotalStop
- Contactor
- Motor thermal protection
- Professional use

CODE CODICE	MODELS MODELLI	PUMP POMPA	Ph		V		Hz		bar		MPa		l/h		HP		kW		kg		(L x W x H) cm	
			3	4	400	50	230	23	900	9,0	7,3	70	90x62x84									
9024 4072	K 891 TS 15/230 T	RW	3	400	50	230	23	900	9,0	7,3	70	90x62x84										
9024 4073	K 891 TS 21/180 T	RW	3	400	50	180	18	1260	9,0	7,3	70	90x62x84										

K 991 TS Premium



Reversible handlebar for easy handling by pushing

Manubrio reversibile per movimentazione a spinta



CARATTERISTICHE GENERALI

- Struttura robusta ed affidabile con cofano in acciaio inox
- Filtro aspirazione in ottone ispezionabile
- Guarnizioni ad acqua calda
- Motore a 4 poli (1400 rpm) sovradimensionato e protetto da verniciatura
- TotalStop temporizzato
- Teleruttore
- Protezione termica motore
- Uso professionale

CODE CODICE	MODELS MODELLI	PUMP POMPA	Ph		V		Hz		bar		MPa		l/h		HP		kW		kg		(L x W x H) cm	
			3	4	400	50 <td>270</td> <td>27</td> <td>900</td> <td>10,0</td> <td>8,5</td> <td>89</td> <td>115x60x88</td>	270	27	900	10,0	8,5	89	115x60x88									
9024 4071	K 991 TS 15/270 T	RW	3	400	50	270	27	900	10,0	8,5	89	115x60x88										
9024 4057	K 991 TS 21/210 T	RW	3	400	50	210	21	1260	10,0	8,5	89	115x60x88										



STANDARD ACCESSORIES › DOTAZIONE STANDARD



GH 351 gun with Swivel (n.2 o-ring)
Pistola GH 351 con Swivel (n.2 o-ring)



Bent lance with detergent head,
without nozzle
*Lancia angolata con testina
detergente, senza ugello*



25° spray nozzle, 1/4" MEG connection
Ugello con getto a lama 25° attacco 1/4" MEG



10 m rubber delivery hose kit
Kit tubo gomma mandata 10 m



Brass inlet water filter
Filtro aspirazione acqua in ottone

CometNews

COMET SPA › Reggio Emilia › Italy › phone +39 0522 386111 › info@comet.re.it › www.comet-spa.com

Follow us on



Comet, Italian Excellence