2026

SMART CATALOGUE

CLEANING DIVISION

COMET

LEGEND

PRESSURE WASHERS

Cold water pressure washers

Hot water pressure washers

Working pressure (bar/MPa)

Max pressure (bar/MPa)

Water flow rate (l/h

Max water flow rate (l/h)

Absorbed power (kW)

Electrical power supply

Electrical motor power (HP/kW)

Engine power (HP/kW)

Brush motor

Outlet water temperature (°C)

Fuel consumption (kg/h)

Weight (kg)

Dimensions (cm)

PH values

Number of pieces per box

The best solutions for

BLUE SERIES

The BLUE SERIES range consists of a broad assortment of cold water high pressure cleaners, driven by electric motors, with models dedicated both to the home and to the semi-professional and professional sector

X SERIES

The X SPECIAL range consists of units with gasoline or Diesel endothermic engines, with particularly sturdy and strong wheels and frames, intended for heavy-duty use

RED SERIES

The RED SERIES range consists of hot water high pressure cleaners, driven by electric motors, featuring integrated boilers which permit heating water

BLUE SERIES

- **BLUE SERIES STATIC · PORTABLE**
  Extremely compact and easy to handle and use.
- **K STEEL SERIES**
  Steel structure and extreme ease of handling, resistant to even the toughest washing conditions.
- **BLUE SERIES PROFESSIONAL**
  Professional models that ensure top-level performance.
- **BLUE SERIES COMMERCIAL**
  Extremely compact and easy to handle and use.

USES

RECOMMENDED USE

bar	l/h							
> 125	> 360	●	●	●				
> 150	> 510	●	●	●	●	●	●	
> 160	> 600	●	●	●	●	●	●	
> 120	> 660	●	●	●	●	●	●	●
> 150	> 720	●	●	●	●	●	●	●
> 230	> 900		●	●	●	●	●	●
> 250	> 1000							●
> 160	> 1260							●
> 500	> 900							●
> 250	> 1260							●
> 250	> 1980							●
> 350	> 1080							●
> 500	> 1260							●
> 130	> 2520							●
> 180	> 2520							●

every cleaning need

X SERIES

X SPECIAL COLD WATER
Cold-water operation, mainly used by car washes, building sites and the agricultural sector.

X SPECIAL HOT WATER
Hot-water operation, used to remove the hardest dirt such as paint, grease and oil.

The HOT BOX models are generators of hot water up to 140°C to be connected to Comet cold water high pressure cleaners.

RED SERIES

RED SERIES COMMERCIAL
For semi-professional uses with single-phase electric drive, compact but at the same time very efficient dimensions.

RED SERIES PROFESSIONAL
For professional uses, driven by single-phase or three-phase electric motor.

USES

USES

●	●	●					
●	●	●	●	●			
●	●	●	●	●			
●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	
●	●	●	●	●	●	●	
●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●

BLUE SERIES COMMERCIAL

These new color machines will be available as soon as the old ones are out of stock

KRM / KRS

KRM KRS KRX KLS KLS GOLD KS KT KLX KSX

CODE	MODELS	PUMP	Ph	V	Hz	bar	MPa	l/h	kW	lt	kg *	(L x W x H) cm
36044-00024	KRM 1100 Extra	PT 03 Brush	1	230	50	125	12,5	360	1,75	0,7	8,0	31 x 28 x 65,5
36040-00161	KRS 1300 Extra	PT 03 Brush	1	230	50	150	15	500	2,35	0,7	9,5	33 x 28 x 84
36051-00038	KRX 1450 Plus	PT 03 Brush	1	230	50	160	16	500	2,5	0,7	8,6	28 x 28 x 88
36052-00009	KLS 1400 Extra	MTP PT 03	1	230	50	140	14	400	2,1	-	13,5	28 x 28 x 88
36052-00038	KLS 1600 Gold Extra	PT 03 Gold	1	230	50	150	15	450	2,2	-	14,5	28 x 28 x 88
36052-00039	KLS 1680 Gold Plus	PT 03 Gold	1	230	50	160	16	500	2,3	-	14,5	28 x 28 x 88
36006-00001	KS 1700 Gold Classic	KSR Gold	1	230	50	155	15,5	540	2,7	1,8	17	32 x 38 x 89
36006-00008	KS 1700 Gold Extra	KSR Gold	1	230	50	155	15,5	540	2,7	1,8	19	32 x 38 x 89
36014-00005	KT 1750 Gold Classic	KTR Gold	1	230	50	150	15	510	2,4	1	22	40 x 41 x 91
36014-00001	KT 1800 Gold Classic	KTR Gold	1	230	50	160	16	550	2,7	1	22	40 x 41 x 91
36014-00003	KT 1900 Gold Classic	KTR Gold	1	230	50	160	16	600	2,9	1	22	40 x 41 x 91
36014-00006	KT 1750 Gold Extra	KTR Gold	1	230	50	150	15	510	2,4	1	25	40 x 41 x 91
36014-00002	KT 1800 Gold Extra	KTR Gold	1	230	50	160	16	550	2,7	1	25	40 x 41 x 91
36014-00004	KT 1900 Gold Extra	KTR Gold	1	230	50	160	16	600	2,9	1	25	40 x 41 x 91
NEW 36091-00023	KLX 1900 GOLD Extra	KXR Gold	1	230	50	180	18	540	2,8	-	26	39 x 39 x 95
36039-00017	KSX 1850 Gold Classic	PT03	1	230	50	160	16	510	2,5	1	23	35 x 40 x 96
36039-00020	KSX 1850 Gold Extra	PT03	1	230	50	160	16	510	2,5	1	25	35 x 40 x 96
36087-00014	KSX 1950 Gold Classic	KXR	1	230	50	180	18	564	2,8	1	28	35 x 40 x 96
36087-00015	KSX 1950 Gold Extra	KXR	1	230	50	180	18	564	2,8	1	30	35 x 40 x 96
36087-00016	KSX 1950 Gold Plus	KXR	1	230	50	180	18	564	2,8	1	30	35 x 40 x 96

* Net weights

BLUE SERIES PROFESSIONAL

These new color machines will be available as soon as the old ones are out of stock

K 200

K 250 • K 260

K PREMIUM Mobile

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	lt	kg *	(L x W x H) cm
NEW	36017-00225	K 200 10/150 M Classic	GXR	1	230	50	150	15	30÷135	3÷13,5	280÷600	3,0	2,2	2,9	3,5	37	54 x 44 x 94
NEW	36017-00226	K 200 10/150 M Extra	GXR	1	230	50	150	15	30÷135	3÷13,5	280÷600	3,0	2,2	2,9	3,5	47	54 x 44 x 94
NEW	36017-00227	K 200 12/130 M Classic	GXR	1	230	50	130	13	30÷115	3÷11,5	360÷720	3,0	2,2	2,9	3,5	37	54 x 44 x 94
NEW	36017-00228	K 200 12/130 M Extra	GXR	1	230	50	130	13	30÷115	3÷11,5	360÷720	3,0	2,2	2,9	3,5	47	54 x 44 x 94
NEW	36017-00229	K 200 12/200 T Classic	AXR	3	400	50	200	20	30÷190	3÷19	290÷720	5,0	3,7	4,3	3,5	40	54 x 44 x 94
NEW	36017-00230	K 200 12/200 T Extra	AXR	3	400	50	200	20	30÷190	3÷19	290÷720	5,0	3,7	4,3	3,5	50	54 x 44 x 94
NEW	36154-00001	K 250 10/150 M Classic	LW-K 250	1	230	50	150	15	30÷135	3÷13.5	280÷600	3.0	2.2	2.9	-	40	54 x 44 x 97
NEW	36154-00002	K 250 10/150 M Extra	LW-K 250	1	230	50	150	15	30÷135	3÷13.5	280÷600	3.0	2.2	2.9	-	40	54 x 44 x 97
NEW	36154-00003	K 250 11/160 M Classic	LW-K 250	1	230	50	160	16	30÷145	3÷14.5	300÷660	3.5	2.6	3.3	-	40	54 x 44 x 97
NEW	36154-00004	K 250 11/160 M Extra	LW-K 250	1	230	50	160	16	30÷145	3÷14.5	300÷660	3.5	2.6	3.3	-	50	54 x 44 x 97
NEW	36154-00007	K 250 13/190 T Classic	LW-K 250	3	400	50	190	19	30÷180	3÷18	330÷780	5.5	4.0	5.0	-	40	54 x 44 x 97
NEW	36154-00008	K 250 13/190 T Extra	LW-K 250	3	400	50	190	19	30÷180	3÷18	320÷780	5.5	4.0	5.0	-	50	54 x 44 x 97
NEW	36154-00005	K 250 15/170 T Classic	LW-K 250	3	400	50	170	17	30÷160	3÷16	300÷900	5.5	4.0	5.0	-	40	54 x 44 x 97
NEW	36154-00006	K 250 15/170 T Extra	LW-K 250	3	400	50	170	17	30÷160	3÷16	390÷900	5.5	4.0	5.0	-	50	54 x 44 x 97
NEW	36154-00009	K 260 15/210 T Classic	ZW-K	3	400	50	210	21	30÷200	3÷20	360÷900	7.5	5.5	6.7	-	40	54 x 44 x 97
NEW	36154-00010	K 260 15/210 T Extra	ZW-K	3	400	50	210	21	30÷200	3÷20	360÷900	7.5	5.5	6.7	-	50	54 x 44 x 97
	36012-00006	K Premium Mobile 6.13 T	RW	3	400	50	190	19	30÷180	3÷18	320÷780	6,0	4,4	5,5	3,5	55	63 x 59 x 96
	36012-00007	K Premium Mobile 6.15 T	RW	3	400	50	170	17	30÷160	3÷16	390÷900	6,0	4,4	5,5	3,5	55	63 x 59 x 96
	36012-00008	K Premium Mobile 8.15 T	RW	3	400	50	210	21	30÷200	3÷20	350÷900	7,5	5,5	6,6	3,5	55	63 x 59 x 96
	36012-00009	K Premium Mobile 8.21 T	RW	3	400	50	160	16	30÷150	3÷15	560÷1260	7,5	5,5	6,9	3,5	55	63 x 59 x 96
	36012-00010	K Premium Mobile 9.15 T	RW	3	400	50	230	23	30÷220	3÷22	330÷900	9,0	6,6	7,3	3,5	55	63 x 59 x 96
	36012-00011	K Premium Mobile 9.21 T	RW	3	400	50	180	18	30÷170	3÷17	530÷1260	9,0	6,6	7,5	3,5	55	63 x 59 x 96

* Net weights

K STEEL SERIES

These new color machines will be available as soon as the old ones are out of stock

K ELITE S

K ELITE TS

K STEEL S

K STEEL TS

K STEEL XL TS

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	kg *	(L x W x H) cm
NEW	36156-00005	K ELITE S 6.15 15/170 T	LW-K 250	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	4,8	63	90 x 62 x 84
NEW	36156-00003	K ELITE S 7.15 15/210 T	ZW-K	3	400	50	210	21	30÷200	3÷20	360 ÷ 900	7,5	5,5	6,7	65	90 x 62 x 84
NEW	36156-00004	K ELITE S 8.21 21/160 T	FW2	3	400	50	160	16	30÷150	3÷15	560 ÷ 1260	7,5	5,5	6,9	65	90 x 62 x 84
NEW	36156-00006	K ELITE TS 6.15 15/170 T	ZW-K	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	4,8	63	90 x 62 x 84
NEW	36156-00001	K STEEL TS 8.16 16/200 T	FW2	3	400	50	200	20	30÷190	3÷19	350 ÷ 960	7,5	5,5	6,9	65	90 x 62 x 84
NEW	36156-00002	K ELITE TS 8.21 21/160 T	FW2	3	400	50	160	16	30÷150	3÷15	560 ÷ 1260	7,5	5,5	6,9	65	90 x 62 x 84
	36024-00001	K STEEL S 3.10 10/150 M	ZW-K	1	230	50	150	15	30÷135	3÷13,5	280 ÷ 600	3,0	2,2	2,9	55	64 x 45 x 85 56 x 45 x 61 *
	36024-00004	K STEEL S 3.12 12/130 M	ZW-K	1	230	50	130	13	30÷120	3÷12	360 ÷ 720	3,0	2,2	2,9	55	64 x 45 x 85 56 x 45 x 61 *
	36024-00002	K STEEL S 6.15 15/170 T	ZW-K	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	4,8	57	64 x 45 x 85 56 x 45 x 61 *
	36024-00003	K STEEL S 7.15 15/210 T	ZW-K	3	400	50	210	21	30÷200	3÷20	360 ÷ 900	7,5	5,5	6,7	60	64 x 45 x 85 56 x 45 x 61 *
	36020-00001	K STEEL 3.11 TS 11/120 M	ZW	1	230	50	120	12	30÷110	3÷11	344 ÷ 660	3,0	2,2	2,9	62	85 x 54 x 95 85 x 54 x 55 *
	36020-00002	K STEEL 6.13 TS 13/190 T	ZW	3	400	50	190	19	30÷180	3÷18	320 ÷ 780	5,5	4,0	4,8	63	85 x 54 x 95 85 x 54 x 55 *
	36020-00003	K STEEL 6.15 TS 15/170 T	ZW	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	4,8	63	85 x 54 x 95 85 x 54 x 55 *
	36020-00006	K STEEL 7.15 TS 15/210 T	ZW	3	400	50	210	21	30÷200	3÷20	360 ÷ 900	7,5	5,5	6,7	65	85 x 54 x 95 85 x 54 x 55 *
	36020-00004	K STEEL 8.16 TS 16/200 T	FW2	3	400	50	200	20	30÷190	3÷19	350 ÷ 960	7,5	5,5	6,9	65	85 x 54 x 95 85 x 54 x 55 *
	36020-00005	K STEEL 8.21 TS 21/160 T	FW2	3	400	50	160	16	30÷150	3÷15	560 ÷ 1260	7,5	5,5	6,9	65	85 x 54 x 95 85 x 54 x 55 *
	36020-00007	K STEEL 10.21 TS 21/210 T	FW2	3	400	50	210	21	30÷200	3÷20	490 ÷ 1260	10,0	7,5	8,9	65	85 x 54 x 95 85 x 54 x 55 *
	36020-00015	K STEEL XL 9.15 TS 15/230 T	RW Premium	3	400	50	230	23	30÷220	3÷22	330÷900	9,0	6,7	7,3	70	85 x 58 x 105 85 x 58 x 70 *
	36020-00016	K STEEL XL 9.21 TS 21/180 T	RW Premium	3	400	50	180	18	30÷160	3÷16	560÷1260	9,0	6,7	7,3	70	85 x 58 x 105 85 x 58 x 70 *
	*36020-00017	K STEEL XL 10.15 TS 15/270 T	RW Premium	3	400	50	270	27	50÷260	5÷26	400÷900	10,0	7,4	8,5	75	85 x 58 x 105 85 x 58 x 70 *
	*36020-00018	K STEEL XL 10.17 TS 17/250 T	RW Premium	3	400	50	250	25	30÷240	3÷24	360÷1020	10,0	7,4	8,5	75	85 x 58 x 105 85 x 58 x 70 *
	*36020-00019	K STEEL XL 10.22 TS 22/210 T	RW Premium	3	400	50	210	21	30÷200	3÷20	490÷1260	10,0	7,4	8,5	75	85 x 58 x 105 85 x 58 x 70 *
	*36020-00024	K STEEL XL 10.28 TS 28/160 T	RW Premium	3	400	50	160	16	30÷150	3÷15	720÷1680	10,0	7,4	8,5	75	85 x 58 x 105 85 x 58 x 70 *

* Net weights * Height with folding handle closed * Motor with elastic coupling

K STEEL SERIES

K STEEL ECO

K 1251 • 1501 TS

K XTREME

K XTREME 700 bar

K XTREME XL

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	kg *	(L x W x H) cm
	36002-00045	K STEEL ECO 809	FW2	3	400	50	150	15	30÷135	3÷13,5	590 ÷ 1260	7,5	5,5	7,0	67	62 x 90 x 84
	36002-00046	K STEEL ECO 801	RW Premium	3	400	50	210	21	30÷200	3÷20	370 ÷ 900	9,0	6,6	7,5	70	62 x 90 x 84
	36002-00047	K STEEL ECO 901	RW Premium	3	400	50	180	18	30÷155	3÷15,5	560 ÷ 1260	9,0	6,6	7,5	70	62 x 90 x 84
	36019-00033	K 1251 TS 21/250	SW Premium	3	400	50	260	26	50÷250	5÷25	440÷1260	12,0	8,8	10,0	161	90 x 75 x 95
	36019-00034	K 1251 TS 33/160	TW Premium	3	400	50	160	16	30÷150	3÷15	890÷1980	12,0	8,8	10,0	161	90 x 75 x 95
	36019-00035	K 1501 TS 42/130	TW Premium	3	400	50	130	13	30÷120	3÷12	1275÷2550	15,0	11,0	12,0	163	90 x 75 x 95
	36019-00037	K 1501 TS 18/350	TW Premium	3	400	50	360	36	50÷350	5÷35	410÷1080	15,0	11,0	12,0	163	90 x 75 x 95
	36019-00001	K Xtreme 15/500	TW Premium 500	3	400	50	520	52	100÷500	10÷50	400÷900	20,0	14,7	15,0	175	100 x 75 x 85
	36019-00002	K Xtreme 21/350	TW Premium 500	3	400	50	360	36	50÷350	5÷35	480÷1260	20,0	14,7	15,0	175	100 x 75 x 85
	36019-00003	K Xtreme 33/250	TW Premium	3	400	50	250	25	30÷240	3÷24	690÷1980	20,0	14,7	15,0	175	100 x 75 x 85
	36019-00004	K Xtreme 18/500	TW Premium 500	3	400	50	520	52	100÷500	10÷50	480÷1080	25,0	18,4	18,5	185	100 x 75 x 85
	36019-00005	K Xtreme 21/450	TW Premium 500	3	400	50	450	45	100÷440	10÷44	600÷1260	25,0	18,4	18,5	185	100 x 75 x 85
	36019-00006	K Xtreme 42/200	TW Premium	3	400	50	200	20	30÷190	3÷19	1000÷2520	25,0	18,4	18,5	185	100 x 75 x 85
	36019-00014	K Xtreme 21/500	TW Premium 500	3	400	50	520	52	100÷500	10÷50	560÷1260	30,0	22,1	23,0	200	100 x 75 x 85
NEW	36019-00027	K Xtreme 15/700	TW Premium 700	3	400	50	730	73	100÷700	10÷70	340÷900	30,0	22,1	23,0	200	100 x 75 x 85
NEW	36019-00082	K Xtreme 18/600	TW Premium 600	3	400	50	640	64	80÷600	8÷60	400÷1080	30,0	22,1	23,0	200	100 x 75 x 85
NEW	36152-00001	K Xtreme XL 30/500 - 50 Hz	HPP ETH	3	400	50	520	52	100÷500	10÷50	360÷1800	40,0	30,0	35,0	280	85 x 137 x 103
NEW	36152-00002	K Xtreme XL 30/500 - 60 Hz	HPP ETH	3	440	60	520	52	100÷500	10÷50	360÷1800	40,0	30,0	35,0	280	85 x 137 x 103
NEW	36152-00003	K Xtreme XL 13/1000 - 50 Hz	HPP ETV	3	400	50	1100	110	200÷1000	20÷100	156÷780	40,0	30,0	35,0	280	85 x 137 x 103
NEW	36152-00004	K Xtreme XL 13/1000 - 60 Hz	HPP ETV	3	440	60	1100	110	200÷1000	20÷100	156÷780	40,0	30,0	35,0	280	85 x 137 x 103

* Net weights

STATIC · PORTABLE SERIES

These new color machines will be available as soon as the old ones are out of stock

KR PORTABLE

K 100 MOBILE

STATIC

ETM

K 250 Static

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	kg *	(L x W x H) cm
	36056-00023	KR Portable	MTP PT 03	1	230	50/60	120	2030	-	-	360	-	-	1,8	12	28 x 36 x 18
NEW	36153-00005	K100 MOBILE 8/140 M	DWD	1	230	50	130 (max 140)	13 (max 14)	-	-	565	-	-	2400	18	42 x 37 x 27
NEW	36153-00003	K100 MOBILE GOLD 9/150 M	CW-K	1	230	50	130 (max 140)	13 (max 14)	-	-	565	-	-	2400	25	59 x 45 x 85
	36013-00001	STATIC 1700 Classic Gold	KTR Gold	1	230	50	150	15	-	-	510	-	-	2,4	20	50 x 26 x 60
	36013-00007	STATIC 1900 Classic Gold	KTR Gold	1	230	50	160	16	-	-	600	-	-	2,9	21	50 x 26 x 60
	36013-00002	STATIC 1700 Extra Gold	KTR Gold	1	230	50	150	15	-	-	510	-	-	2,4	22	50 x 26 x 60
	36013-00013	STATIC 1700 Extra Gold with blue food-industry hose	KTR Gold	1	230	50	150	15	-	-	510	-	-	2,4	22	50 x 26 x 60
	36013-00008	STATIC 1900 Extra Gold	KTR Gold	1	230	50	160	16	-	-	600	-	-	2,9	23	50 x 26 x 60
	36016-00008	ETM 150 PRO	LW-K 250	1	230	50	150	15	30÷135	3 ÷13,5	280 ÷ 600	3 ,0	2,2	2,9	35	26 x 47 x 37
	36017-00173	K 250 STATIC 10/150 M	LW-K 250	1	230	50	150	15	30÷135	3÷13,5	280 ÷ 600	3 ,0	2,2	2,9	40	55 x 35 x 35
	36017-00175	K 250 STATIC 12/130 M	LW-K 250	1	230	50	130	13	30÷120	3÷12	360 ÷ 720	3 ,0	2,2	2,9	40	55 x 35 x 35
	36017-00174	K 250 STATIC 15/170 T	LW-K 250	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	5,0	40	55 x 35 x 35

* Net weights

X-SPECIAL COLD WATER

These new color machines will be available as soon as the old ones are out of stock

FDX WB

PTO

FDX2 BXD

FDX2 CXD

FDX2 BWD-K · ZWD · ZWD-K

FDX2 EWD-K

FDX BLADE S

	CODE	MODELS	PUMP	MAX bar	MAX MPa	l/h	kW	HP	kW	kg *	(L x W x H) cm
	36001-00039	FDX WB 8/160 Honda GX 160	LWD-K	160	16	480	-	5,5	4,1	70	120 x 80 x 110
	36001-00040	FDX WB 8/160 Loncin G 200 F	BWD-K	160	16	480	-	6,0	4,4	70	120 x 80 x 110
		PTO Premium with frame									
	36009-00007	PTO 21/200	RW	200	20	1260	8,5	-	-	46	57 x 82,5 x 70
	36009-00002	PTO 23/200	TWN	200	20	1380	10,0	-	-	53	57 x 82,5 x 70
	36009-00003	PTO 30/170	TWN	170	17	1800	11,0	-	-	53	57 x 82,5 x 70
		PTO Premium without frame									
	36009-00009	PTO 15/150	RW	150	15	900	5,5	-	-	28	57 x 82,5 x 70
	36009-00008	PTO 21/200	RW	200	20	1260	8,5	-	-	32	57 x 82,5 x 70
	36009-00005	PTO 23/200	TWN	200	20	1380	10,0	-	-	34	57 x 82,5 x 70
	36009-00006	PTO 30/170	TWN	170	17	1800	11,0	-	-	37	57 x 82,5 x 70
NEW	36001-00021	FDX 2 13/150 - Honda GP160	BXD	150	15	780	-	5,0	3,7	30	67 x 55 x 89
NEW	36001-00012	FDX 2 12/200 - Loncin G200 F	BXD	200	20	720	-	6,0	4,4	30	67 x 55 x 89
NEW	36001-00022	FDX 2 12/200 - Honda GP200	BXD	200	20	720	-	6,0	4,4	30	67 x 55 x 89
NEW	36001-00029	FDX 2 10/220 - Loncin G200 F	CXD	220	22	600	-	6,0	4,4	28	55 x 67 x 89
NEW	36001-00028	FDX 2 10/220 - Honda GP200	CXD	220	22	600	-	6,0	4,4	28	55 x 67 x 89
NEW	36001-00017	FDX 2 13/180 - Honda GX200	BWD-K	180	18	780	-	6,0	4,4	35	67 x 55 x 89
NEW	36001-00018	FDX 2 16/210 - Honda GX340	ZWD-K	210	21	960	-	11,0	8,2	48	67 x 55 x 89
NEW	36001-00019	FDX 2 16/250 - Honda GX390	ZWD	250	25	960	-	13,0	9,7	50	67 x 55 x 89
NEW	36001-00020	FDX 2 15/270 - Honda GX390	ZWD-K	270	27	900	-	13,0	9,7	50	67 x 55 x 89
NEW	36001-00051	FDX 2 15/310 - Loncin G390F	EWD-K	310	31	900	-	13,0	9,7	35	55 x 67 x 89
	36021-00020	FDX Blade S 13/150 - Honda GP160	BXD	150	15	780	-	5,0	3,7	30	64 x 45 x 85 56 x 45 x 61 *
	36021-00021	FDX Blade S 12/200 - Loncin G200 F	BXD	200	20	720	-	6,0	4,4	30	64 x 45 x 85 56 x 45 x 61 *
	36021-00022	FDX Blade S 12/200 - Honda GP200	BXD	200	20	720	-	6,0	4,4	30	64 x 45 x 85 56 x 45 x 61 *
	36021-00023	FDX Blade S 13/180 - Loncin G200 F	BWD-K	180	18	780	-	6,0	4,4	34	64 x 45 x 85 56 x 45 x 61 *
	36021-00024	FDX Blade S 13/180 - Honda GX200	BWD-K	180	18	780	-	6,0	4,4	34	64 x 45 x 85 56 x 45 x 61 *

* Net weights * Height with folding handle closed

X-SPECIAL COLD WATER

FDX ELITE

FDX BLADE XL

FDX BLADE XL PRO

FDX PRO

	CODE	MODELS	PUMP	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kg *	(L x W x H) cm
NEW	36021-00071	FDX ELITE 5.12 G 12/170 - Honda GX160	AXD	170	17	30÷160	3÷16	360÷720	5,0	3,7	38	90 x 62 x 84
NEW	36021-00080	FDX ELITE 5.13 G 13/150 - Honda GX160	AXD	150	15	30÷135	3÷13,5	330÷780	5,0	3,7	38	90 x 62 x 84
NEW	36021-00082	FDX ELITE 6.13 G 13/180 - Honda GX200	LWD-K	180	18	30÷170	3÷17	330÷780	6,0	4,4	40	90 x 62 x 84
NEW	36021-00083	FDX ELITE 6.13 G 13/180 - Loncin G200F	LWD-K	180	18	30÷170	3÷17	330÷780	6,0	4,4	40	90 x 62 x 84
NEW	36021-00084	FDX ELITE 13.15 G 15/270 - Honda GX390	ZWD-K	270	27	50÷255	5÷25,5	420÷900	13,0	9,7	58	90 x 62 x 84
NEW	36021-00085	FDX ELITE 13.15 G 15/270 - Loncin G390F	ZWD-K	270	27	50÷255	5÷25,5	420÷900	13,0	9,7	58	90 x 62 x 84
NEW	36021-00086	FDX ELITE 9.15 G 15/220 - Honda GX270	ZWD-K	220	22	30÷210	3÷21	340÷900	9,0	6,7	58	90 x 62 x 84
	36021-00008	FDX Blade XL 9.15 15/220 G Honda GX270	EWD-K	220	22	30÷210	3÷21	340÷900	9,0	6,7	48	85 x 58 x 105 85 x 58 x 70 *
	36021-00009	FDX Blade XL 13.15 15/310 G Honda GX390	EWD-K	310	31	50÷290	5÷29	370÷900	13,0	9,7	48	85 x 58 x 105 85 x 58 x 70 *
	36021-00011	FDX Blade XL 13.15 15/310 G Loncin G390F	EWD-K	310	31	50÷290	5÷29	370÷900	13,0	9,7	48	85 x 58 x 105 85 x 58 x 70 *
		FDX Blade XL PRO - Diesel engines										
	36021-00006	FDX Blade XL PRO 7.14 14/200 D Yanmar L70V	ZWD + VRF 2	200	20	30÷180	3÷18	340÷840	7,5	5,5	50	85 x 58 x 105 85 x 58 x 70 *
		FDX Blade XL PRO - Gasoline engines										
	36021-00007	FDX Blade XL PRO 9.16 16/200 G Honda GX270	ZWD + VRF 2	200	20	30÷180	3÷18	390÷960	9,0	6,7	48	85 x 58 x 105 85 x 58 x 70 *
	36021-00010	FDX Blade XL PRO 13.16 16/280 G Honda GX390	ZWD + VRF2	280	28	50÷265	5÷26,5	420÷960	13,0	9,7	50	85 x 58 x 105 85 x 58 x 70 *
	36021-00013	FDX Blade XL PRO 13.15 15/280 G Honda GX390	FW2 + VRF 2	280	28	50÷265	5÷26,5	420÷900	13,0	9,7	50	85 x 58 x 105 85 x 58 x 70 *
	36021-00014	FDX Blade XL PRO 13.15 15/280 G Loncin G390F	FW2 + VRF 2	280	28	50÷265	5÷26,5	420÷900	13,0	9,7	50	85 x 58 x 105 85 x 58 x 70 *
NEW	36022-00038	FDX PRO 13.15 - Honda GX390	RW	300	30	50÷280	5÷28	900	13,0	9,6	82	116 x 62 x 71
NEW	36022-00026	FDX PRO 13.16 - Honda GX390	RW	260	26	30÷245	3÷24,5	960	13,0	9,6	82	116 x 62 x 71
NEW	36022-00034	FDX PRO 13.18 - Honda GX390	RW	220	22	30÷210	3÷21	1080	13,0	9,6	82	116 x 62 x 71
NEW	36022-00035	FDX PRO 13.21 - Honda GX390	RW	200	20	30÷190	3÷19	1260	13,0	9,6	82	116 x 62 x 71
NEW	36022-00036	FDX PRO 11.16 - Honda GX340	FW2	200	20	30÷190	3÷19	960	11,0	8,2	82	116 x 62 x 71
NEW	36022-00039	FDX PRO 13.15 - Loncin G390 F	RW	280	28	30÷270	3÷27	900	13,0	9,6	82	116 x 62 x 71

* Net weights * Height with folding handle closed

X-SPECIAL COLD WATER

FDX ENDURANCE

FDX XTREME

FDX XTREME 700 bar

FDX XTREME XL

FDX XTREME XL 700 bar

CODE	MODELS	PUMP	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kg *	(L x W x H) cm
					FDX Endurance - Diesel engines						
36022-00005	FDX Endurance 11.16 16/200 D ES Yanmar L100V	RW	200	20	30÷190	3÷19	380÷960	10,0	7,4	105	95 x 68 x 95 (55 *)
36022-00006	FDX Endurance 11.21 21/160 D ES Yanmar L100V	RW	160	16	30÷150	3÷15	560÷1260	10,0	7,4	105	95 x 68 x 95 (55 *)
					FDX Endurance - Gasoline engines						
36022-00001	FDX Endurance 13.15 15/300 G Honda GX390 *	RW	300	30	50÷280	5÷28	380÷900	13,0	9,6	72	95 x 68 x 95 (55 *)
36022-00002	FDX Endurance 13.16 16/260 G Honda GX390 *	RW	260	26	30÷245	3÷24,5	340÷960	13,0	9,6	72	95 x 68 x 95 (55 *)
36022-00003	FDX Endurance 13.18 18/220 G Honda GX390 *	RW	220	22	30÷210	3÷21	390÷1020	13,0	9,6	72	95 x 68 x 95 (55 *)
36022-00004	FDX Endurance 13.21 21/200 G Honda GX390 *	RW	200	20	30÷190	3÷19	500÷1260	13,0	9,6	72	95 x 68 x 95 (55 *)
36022-00011	FDX Endurance 13.30 30/150 G Honda GX390 *	RW	150	15	30÷140	3÷14	840÷1800	13,0	9,6	72	95 x 68 x 95 (55 *)
36018-00012	FDX Xtreme 18/350 Vanguard B&S 18 HP	TW Premium	360	36	50÷350	5÷35	410÷1080	18,0	13,4	150	100 x 82 x 85
36018-00001	FDX Xtreme 15/500 Honda GX690	TW Premium 500	520	52	100÷500	10÷50	440÷990	22,0	16,4	150	100 x 82 x 85
36018-00002	FDX Xtreme 18/400 Honda GX690	TW Premium 500	415	41,5	50÷400	5÷40	380÷1080	22,0	16,4	150	100 x 82 x 85
36018-00003	FDX Xtreme 21/350 Honda GX690	TW Premium	360	36	50÷350	5÷35	480÷1260	22,0	16,4	150	100 x 82 x 85
36018-00004	FDX Xtreme 30/280 Honda GX690	TW Premium	280	28	50÷270	5÷27	770÷1800	22,0	16,4	150	100 x 82 x 85
36018-00005	FDX Xtreme 36/230 Honda GX690	TW Premium	230	23	30÷220	3÷22	800÷2160	22,0	16,4	150	100 x 82 x 85
36018-00006	FDX Xtreme 42/180 Honda GX690	TW Premium	180	18	30÷170	3÷17	1060÷2520	22,0	16,4	150	100 x 82 x 85
36018-00009	FDX Xtreme 53/140 Honda GX690	TW Premium	150	15	30÷140	3÷14	1380÷3090	22,0	16,4	150	100 x 82 x 85
36018-00011	FDX Xtreme 21/500 Vanguard B&S 31 HP	TW Premium 500	520	52	100÷500	10÷50	560÷1260	31,0	23,1	150	100 x 82 x 85
36018-00061	FDX Xtreme 15/700 Vanguard B&S 31 HP	TW Premium 700	730	73	100÷700	10÷70	340÷900	31,0	23,1	150	100 x 82 x 85
36018-00060	FDX Xtreme 18/600 Vanguard B&S 31 HP	TW Premium 600	640	64	80÷600	8÷60	400÷1080	31,0	23,1	150	100 x 82 x 85
36018-00021	FDX Xtreme XL 16/500	TW Premium 500	520	52	100÷500	10÷50	430÷960	26,0	19,3	250	137 x 85 x 102
36018-00022	FDX Xtreme XL 20/400	TW Premium 500	415	41,5	100÷400	10÷40	600÷1200	26,0	19,3	250	137 x 85 x 102
36018-00023	FDX Xtreme XL 23/350	TW Premium	360	36	50÷350	5÷35	500÷1380	26,0	19,3	250	137 x 85 x 102
36018-00024	FDX Xtreme XL 30/280	TW Premium	280	28	50÷270	5÷27	770÷1800	26,0	19,3	250	137 x 85 x 102
36018-00025	FDX Xtreme XL 42/200	TW Premium	200	20	30÷190	3÷19	1000÷2520	26,0	19,3	250	137 x 85 x 102
36018-00028	FDX Xtreme XL 13/700	TW Premium 700	730	73	100÷700	10÷70	300÷780	26,0	19,3	250	137 x 85 x 102

* Net weights * Height with reversible handle * Electric starter on request

X-SPECIAL HOT WATER

FDX COMPACT CUBE

FDX HOT CUBE

FDX HOT CUBE XL

CODE	MODELS	PUMP	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	°C	HP	kg/h	kg *	(L x W x H) cm
36111-00021	FDX Compact Cube 15/160 D Yanmar L 70 V	ZWD	160	16	30÷150	3÷15	300÷900	85÷140	6,5	5,8	199	94 x 78 x 82
36111-00020	FDX Compact Cube 13/180 D Yanmar L 70 V	ZWD	180	18	30÷170	3÷17	300÷780	85÷140	6,5	5,8	199	94 x 78 x 82
	FDX Hot Cube - TRAILER											
36111-00001	FDX Hot Cube 16/200 D Yanmar L 100 N	FW2	200	20	30÷190	3÷19	330÷960	85÷140	11	6,3	230	120 x 93 x 108
36111-00002	FDX Hot Cube 16/200 B Honda GX 390	FW2	200	20	30÷190	3÷19	330÷960	85÷140	13	6,3	200	120 x 93 x 108
36111-00003	FDX Hot Cube 21/160 D Yanmar L 100 N	FW2	160	16	30÷150	3÷15	560÷1260	85÷140	11	7,9	230	120 x 93 x 108
36111-00004	FDX Hot Cube 21/160 B Honda GX 390	FW2	160	16	30÷150	3÷15	560÷1260	85÷140	13	7,9	200	120 x 93 x 108
	FDX Hot Cube - SKID											
36111-00007	FDX Hot Cube 16/200 D Yanmar L 100 N	FW2	200	20	30÷190	3÷19	330÷960	85÷140	11	6,3	230	120 x 93 x 108
36111-00006	FDX Hot Cube 16/200 B Honda GX 390	FW2	200	20	30>190	3÷19	330÷960	85÷140	13	6,3	200	120 x 93 x 108
36111-00005	FDX Hot Cube 21/160 D Yanmar L 100 N	FW2	160	16	30÷150	3÷15	560÷1260	85÷140	11	7,9	230	120 x 93 x 108
36111-00009	FDX Hot Cube 21/160 B Honda GX 390	FW2	160	16	30÷150	3÷15	560÷1260	85÷140	13	7,9	200	120 x 93 x 108
36033-00006	FDX Hot Cube XL 23/250	RW	250	25	30÷240	3÷24	400÷1380	85÷110	26	8,0	450	125 x 85 x 105
36033-00007	FDX Hot Cube XL 18/350	TW	350	35	50÷335	5÷33,5	320÷1080	85÷110	26	8,0	450	125 x 85 x 105
36033-00008	FDX Hot Cube XL 30/200	TW	200	20	30÷190	3÷19	710÷1800	85÷110	26	8,5	450	125 x 85 x 105

RED SERIES COMMERCIAL

These new color machines will be available as soon as the old ones are out of stock

PATRIOT

SCOUT • SCOUT EVO

CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	MAX l/h	kW	°C	kg/h	kg *	(L x W x H) cm
36032-00052	PATRIOT 140	PT 03	1	230	50	140	14	420	2,1	90	1,99	43	58 x 44 x 93
36032-00053	PATRIOT 150 Gold	KLR Gold	1	230	50	150	15	480	2,3	90	1,99	43	58 x 44 x 93
36093-00005	SCOUT 150 Classic	KSR Gold	1	230	50	150	15	540	2,7	90	3,11	66	89 x 59 x 84
36093-00006	SCOUT 150 Extra	KSR Gold	1	230	50	150	15	540	2,7	90	3,11	70	89 x 61 x 84
36093-00007	SCOUT EVO 160 Classic	LWR-K250	1	230	50	160	16	600	2,7	90	3,11	66	89 x 59 x 84
36093-00008	SCOUT EVO 160 Extra	LWR-K250	1	230	50	160	16	600	2,7	90	3,11	70	89 x 61 x 84

* Net weights

RED SERIES PROFESSIONAL

These new color machines will be available as soon as the old ones are out of stock

KP

KP PRO

KM CLASSIC

CODE	MODELS	PUMP	Ph	V	Hz	bar (MAX)	MPa (MAX)	bar (WORK)	MPa (WORK)	l/h	HP	kW	kW	°C	kg/h	kg *	(L x W x H) cm
36030-00001	KP Classic 3.10 10/140 M	GXR	1	230	50	140	14	30÷130	3÷13	290÷600	3,0	2,2	2,9	110	3,11	95	94 x 62 x 84
36030-00003	KP Extra 3.10 10/140 M	GXR	1	230	50	140	14	30÷130	3÷13	290÷600	3,0	2,2	2,9	110	3,11	100	104 x 62 x 84
36030-00002	KP Classic 5.12 12/180 T	AXR	3	400	50	180	18	30÷170	3÷17	300÷720	5,0	3,7	4,8	110	3,11	100	94 x 62 x 84
36030-00004	KP Extra 5.12 12/180 T	AXR	3	400	50	180	18	30÷170	3÷17	300÷720	5,0	3,7	4,8	110	3,11	105	104 x 62 x 84
36030-00017	KP PRO Classic 3.10 10/150 M	LW-KP	1	230	50	150	15	30÷140	3÷14	280÷600	3,0	2,2	3,0	110	3,5	95	94 x 62 x 84
36030-00019	KP PRO Extra 3.10 10/150 M	LW-KP	1	230	50	150	15	30÷140	3÷14	280÷600	3,0	2,2	3,0	110	3,5	100	104 x 62 x 84
36030-00018	KP PRO Classic 5.12 12/200 T	LW-KP	3	400	50	200	20	30÷190	3÷19	290÷720	5,5	4,0	5,3	110	4,2	100	94 x 62 x 84
36030-00020	KP PRO Extra 5.12 12/200 T	LW-KP	3	400	50	200	20	30÷190	3÷19	290÷720	5,5	4,0	5,3	110	4,2	105	104 x 62 x 84
	Without water tank and anti-scale tank																
36029-00021	KM Classic 3.11 11/120	LW-KM	1	230	50	120	12	30÷110	3÷11	340÷660	3,0	2,2	2,9	110	3,5	105	95 x 62 x 85
36029-00022	KM Classic 6.13 13/190	LW	3	400	50	190	19	30÷180	3÷18	320÷780	5,5	4,0	4,9	110	4,6	110	95 x 62 x 85
36029-00025	KM Classic 8.16 16/200	FW2	3	400	50	200	20	30÷190	3÷19	380÷960	7,5	5,5	6,5	110	5,7	125	95 x 62 x 85
NEW 36029-00176	KM Classic 6.15 15/170	ZW	3	400	50	170	17	30÷160	3÷16	390÷900	5,5	4,0	5,0	110	5,5	110	95 x 62 x 85
NEW 36029-00173	KM Classic 7.15 15/210	ZW	3	400	50	210	21	30÷200	3÷20	350÷900	7,5	5,5	6,5	110	5,7	125	95 x 62 x 85
	With water tank and anti-scale tank																
36029-00047	KM Classic 3.11 11/120	ZW	1	230	50	120	12	30÷110	3÷11	340÷660	3,0	2,2	2,9	110	3,5	105	95 x 62 x 85
36029-00048	KM Classic 6.13 13/190	ZW	3	400	50	190	19	30÷180	3÷18	320÷780	5,5	4,0	4,9	110	4,6	110	95 x 62 x 85
36029-00051	KM Classic 8.16 16/200	FW2	3	400	50	200	20	30÷190	3÷19	380÷960	7,5	5,5	6,5	110	5,7	125	95 x 62 x 85
NEW 36029-00175	KM Classic 6.15 15/170	ZW	3	400	50	170	17	30÷160	3÷16	390÷900	5,5	4,0	5,0	110	5,5	110	95 x 62 x 85
NEW 36029-00169	KM Classic 7.15 15/210	ZW	3	400	50	210	21	30÷200	3÷20	350÷900	7,5	5,5	6,5	110	5,7	125	95 x 62 x 85

* Net weights

RED SERIES PROFESSIONAL

These new color machines will be available as soon as the old ones are out of stock

KM EXTRA

KM EVO

KF CLASSIC

KF EXTRA

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	°C	kg/h	kg *	(L x W x H) cm
	36029-00083	KM Extra 3.11 11/120	ZW	1	230	50	120	12	30÷110	3÷11	340÷660	3	2,2	2,9	85 > 140	3,5	110	95 x 62 x 85
	36029-00084	KM Extra 6.13 13/190	ZW	3	400	50	190	19	30÷180	3÷18	320÷780	5,5	4	5,0	85 > 140	4,6	115	95 x 62 x 85
	36029-00087	KM Extra 8.16 16/200	FW2	3	400	50	200	20	30÷190	3÷19	380÷960	7,5	5,5	6,5	85 > 140	5,7	128	95 x 62 x 85
NEW	36029-00174	KM Extra 6.15 15/170	ZW	3	400	50	170	17	30÷160	3÷16	390÷900	5,5	4	5,0	85÷140	5,5	115	95 x 62 x 85
NEW	36029-00168	KM Extra 7.15 15/210	ZW	3	400	50	210	21	30÷200	3÷20	350÷900	7,5	5,5	6,0	85÷140	5,7	128	95 x 62 x 85
		Without water tank and anti-scale tank																
	36029-00029	KM Classic EVO 9.15	FW2	3	400	50	260	26	30÷250	3÷25	350÷900	9	6,6	7,0	110	6,4	130	95 x 62 x 85
	36029-00028	KM Classic EVO 9.21	FW2	3	400	50	180	18	30÷170	3÷17	560÷1260	9	6,6	7,0	110	6,4	130	95 x 62 x 85
		With water tank and anti-scale tank																
	36029-00090	KM Extra EVO 9.15	FW2	3	400	50	260	26	30÷250	3÷25	350÷900	9	6,6	7,0	85÷140	6,4	130	95 x 62 x 85
	36029-00091	KM Extra EVO 9.21	FW2	3	400	50	180	18	30÷170	3÷17	560÷1260	9	6,6	7,0	85÷140	6,4	130	95 x 62 x 85
		Without water tank																
	36028-00003	KF Classic 9.16	RW Premium	3	400	50	210	21	30÷200	3÷20	370÷960	9,0	6,6	7,0	110	6,4	152	132 x 82 x 86
		With water tank and anti-scale tank (2,5 lt)																
	36028-00007	KF Classic 9.16	RW Premium	3	400	50	210	21	30÷200	3÷20	370÷960	9,0	6,6	7,0	110	6,4	152	132 x 82 x 86
	36028-00008	KF Classic 9.21	RW Premium	3	400	50	170	17	30÷160	3÷16	550÷1260	9,0	6,6	7,6	110	6,4	158	132 x 82 x 86
	36028-00011	KF Classic 10.17	RW Premium	3	400	50	250	25	30÷240	3÷24	360÷1020	10,0	7,3	10,0	110	6,4	160	132 x 82 x 86
	36028-00009	KF Classic 10.22	RW Premium	3	400	50	210	21	30÷200	3÷20	510÷1320	10,0	7,3	10,3	110	8,0	165	132 x 82 x 86
	36028-00043	KF Extra 9.16	RW Premium	3	400	50	210	21	30÷200	3÷20	370÷960	9,0	6,6	7,0	85÷140	6,4	152	132 x 82 x 86
	36028-00044	KF Extra 9.21	RW Premium	3	400	50	170	17	30÷160	3÷16	560÷1260	9,0	6,6	7,6	85÷140	6,4	158	132 x 82 x 86
	36028-00046	KF Extra 9.21	RW Premium	3	400	50	250	25	30÷240	3÷24	360÷1020	10,0	7,3	10,0	85÷140	6,4	160	132 x 82 x 86
	36028-00045	KF Extra 10.22	RW Premium	3	400	50	210	21	30÷200	3÷20	510÷1320	10,0	7,3	10,3	85÷140	8,0	165	132 x 82 x 86

* Net weights

HOT STEEL SERIES

These new color machines will be available as soon as the old ones are out of stock

KP STEEL CLASSIC

KM STEEL EXTRA

KM XTREME

KF STEEL

CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	°C	kg/h	kg *	(L x W x H) cm
36034-00018	KP STEEL Classic 10/150	LW-KM	1	230	50	150	15	30÷140	3÷14	340÷660	3	2,2	2,9	85 > 110	3,5	140	90 x 57 x 87
36034-00019	KP STEEL Classic 13/190	LW-KM	3	400	50	190	19	30÷180	3÷18	320÷780	5,5	4	5,0	85 > 110	4,6	145	90 x 57 x 87
36034-00001	KM STEEL Extra 11/120	ZW	1	230	50	120	12	30÷110	3÷11	340÷660	3	2,2	2,9	85 > 140	3,5	145	90 x 65 x 87
36034-00002	KM STEEL Extra 13/190	ZW	3	400	50	190	19	30÷180	3÷18	320÷780	5,5	4	5,0	85 > 140	4,6	150	90 x 65 x 87
36034-00003	KM STEEL Extra 15/170	ZW	3	400	50	170	17	30÷160	3÷16	390÷900	5,5	4	5,0	85 > 140	5,5	150	90 x 65 x 87
36034-00004	KM STEEL Extra 16/200	FW2	3	400	50	200	20	30÷190	3÷19	350÷960	7,5	5,5	6,0	85 > 140	5,7	160	90 x 65 x 87
36034-00005	KM STEEL Extra 21/160	FW2	3	400	50	160	16	30÷150	3÷15	450÷1260	7,5	5,5	6,5	85 > 140	6,5	160	90 x 65 x 87
36034-00010	KM STEEL Extra 21/200	FW2	3	400	50	200	20	30÷190	3÷19	450÷1260	10	7,5	8,5	85 > 140	7,0	170	90 x 65 x 87
36034-00012	KM XTREME 8.16 16/200 T	FW2	3	400	50	200	20	30÷190	3÷19	350÷960	7,5	5,5	6,0	85 ÷ 110	5,7	160	90 x 65 x 87
36034-00013	KM XTREME 8.21 21/160 T	FW2	3	400	50	160	16	30÷150	3÷15	450÷1260	7,5	5,5	6,5	85 ÷ 110	6,5	160	90 x 65 x 87
36034-00014	KM XTREME 10.21 21/200 T	FW2	3	400	50	200	20	30÷190	3÷19	450÷1260	10	7,5	8,5	85 ÷ 110	7,0	170	90 x 65 x 87
36031-00013	KF STEEL 16/250	RW	3	400	50	250	25	30÷240	3÷24	320÷900	10,0	7,3	9,8	85 > 140	8,2	195	110 x 64 x 98
36031-00012	KF STEEL 21/200	RW	3	400	50	200	20	30÷190	3÷19	500÷1260	10,0	7,3	9,8	85 > 140	8,2	200	110 x 64 x 98
36031-00014	KF STEEL 21/250	RW	3	400	50	250	25	30÷240	3÷24	450÷1260	12,0	8,9	11,7	85 > 140	8,2	205	110 x 64 x 98
36031-00016	KF STEEL 30/200	TW	3	400	50	200	20	30÷190	3÷19	710÷1800	15,0	11,0	11,7	85 > 110	8,2	210	110 x 64 x 98
36031-00015	KF STEEL 18/350	TW	3	400	50	350	35	50÷335	5÷33,5	320÷1080	15,0	11,0	13,8	85 > 110	8,2	210	110 x 64 x 98

* Net weights

STATIC HOT SERIES

STATIC HOT XL

STATIC HOT XL SS

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	l/h	HP	kW	kW	°C	kg/h	kg *	(L x W x H) cm
	36075-00040	STATIC HOT XL 3.12 12/110 M Classic	ZW	1	230	50	120	12	30÷100	3÷10	290÷720	3,0	2,2	2,9	85÷110	3,5	190	76x48x180
	36075-00039	STATIC HOT XL 3.12 12/110 M Extra	ZW	1	230	50	120	12	30÷100	3÷10	290÷720	3,0	2,2	2,9	85÷110	3,5	210	76x48x180
	36075-00038	STATIC HOT XL 8.15 15/200 T Classic	FW2	3	400	50	200	20	30÷190	3÷19	390÷900	7,5	5,5	6,0	85÷110	5,7	200	76x48x180
	36075-00035	STATIC HOT XL 8.15 15/200 T Extra	FW2	3	400	50	200	20	30÷190	3÷19	390÷900	7,5	5,5	6,0	85÷110	5,7	220	76x48x180
	36075-00042	STATIC HOT XL 10.21 21/200 T Classic	FW2	3	400	50	200	20	30÷190	3÷19	560÷1260	9,0	6,6	7,0	85÷110	6,4	210	76x48x180
	36075-00041	STATIC HOT XL 10.21 21/200 T Extra	FW2	3	400	50	200	20	30÷190	3÷19	560÷1260	9,0	6,6	7,0	85÷110	6,4	230	76x48x180
NEW	On request	STATIC HOT XL SS 3.12 12/110 M Classic	ZW	1	230	50	120	12	30÷100	3÷10	290÷720	3,0	2,2	2,9	85÷110	3,5	190	76x48x180
NEW	On request	STATIC HOT XL SS 3.12 12/110 M Extra	ZW	1	230	50	120	12	30÷100	3÷10	290÷720	3,0	2,2	2,9	85÷110	3,5	210	76x48x180
NEW	36075-00050	STATIC HOT XL SS 8.15 15/200 T Classic	FW2	3	400	50	200	20	30÷190	3÷19	390÷900	7,5	5,5	6,0	85÷110	5,7	200	76x48x180
NEW	36075-00049	STATIC HOT XL SS 8.15 15/200 T Extra	FW2	3	400	50	200	20	30÷190	3÷19	390÷900	7,5	5,5	6,0	85÷110	5,7	220	76x48x180
NEW	36075-00052	STATIC HOT XL SS 10.21 21/200 T Classic	FW2	3	400	50	200	20	30÷190	3÷19	560÷1260	9,0	6,6	7,0	85÷110	6,4	210	76x48x180
NEW	36075-00051	STATIC HOT XL SS 10.21 21/200 T Extra	FW2	3	400	50	200	20	30÷190	3÷19	560÷1260	9,0	6,6	7,0	85÷110	6,4	230	76x48x180

* Net weights

F-E HOT SERIES

KF-E

	CODE	MODELS	PUMP	Ph	V	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	WORK l/h	kW	kW	°C	kg	(L x W x H) cm
NEW	36151-00001	KF-E 18.10	LW HT	3	400	50	180	18	30÷150	3÷15	600	18	21	60 ÷ 85	150	110x75x103
NEW	36151-00002	KF-E 24.10	LW HT	3	400	50	190	19	30÷170	3÷17	600	24	28	60 ÷ 85	150	110x75x103
NEW	36151-00003	KF-E 24.12	LW HT	3	400	50	180	18	30÷150	3÷15	720	24	28	60 ÷ 85	150	110x75x103
NEW	36151-00004	KF-E 36.12	LW HT	3	400	50	210	21	30÷190	3÷19	720	2x18	41	60 ÷ 85	150	110x75x103

MOBILE BOILER SERIES

These new color machines will be available as soon as the old ones are out of stock

HOT BOX 200 bar

HOT BOX 350 · 500 bar

CODE	MODELS	Ph	V|A	Hz	MAX bar	MAX MPa	WORK bar	WORK MPa	MAX l/h	kW	°C	l	kg/h	kg *	(L x W x H) cm
38001-00002	Hot Box 15/200	1	230|1,9	50	220	22	200	20	900	0,25	110	18	5,7	90	95 x 62 x 85
38001-00008	Hot Box 25/350	1	230|1,9	50	390	39	350	35	1500	0,25	110	20	8,3	110	76 x 77 x 96
38001-00003	Hot Box 25/500	1	230|1,9	50	550	55	500	50	1500	0,25	110	20	8,3	120	76 x 77 x 96
38001-00009 *	Hot Box 25/350	-	12|26	-	390	39	350	35	1500	0,25	110	20	8,3	110	76 x 77 x 96
38001-00007 *	Hot Box 25/500	-	12|26	-	550	55	500	500	1500	0,25	110	20	8,3	120	76 x 77 x 96

* Net weights * On request, available 110-115V, 50-60 Hz, 200V, 50-60 Hz · Battery not included

LEGEND

FLOOR SCRUBBER DRYERS

- Power supply
- Working width (squeegee width)
- Working capacity
- Detergent tank
- Recovery tank
- Traction
- Brush pressure
- Brush motor power
- Depression
- Vacuum motor power
- Weight
- Dimensions
- RPM brush
- Battery versions
- Battery versions (batteries + battery charger included)
- Electrical power cable versions
- Battery versions (battery charger included)
- Li-ion battery versions (batteries + battery charger included)

SWEEPERS

- Endothermic engine
- Battery motor
- Cleaning width (central brush)
- Cleaning width (with one side brush)
- Cleaning width (with two side brushes)
- % limiting gradient
- Working capacity
- Collector tank
- Max advancement speed
- Traction
- Filter shaker
- Filtering surface
- Weight
- Dimensions
- Manual version
- Petrol version
- Battery version
- Diesel version

LEGEND

DRY STEAM GENERATORS

- Power supply
- Absorbed power (boiler)
- Absorbed power (vacuum)
- Endothermic engine power
- Working pressure
- Boiler max temperature
- Max depression
- Steam generation
- Heating time required
- Water tank
- Detergent tank
- Diesel tank
- Collector tank
- Weight
- Electrically powered boiler
- Diesel fired boiler

VACUUM CLEANERS

- Power supply
- Absorbed power (max)
- Tank capacity
- Wet vacuum function
- Dry vacuum function
- Carpet cleaning function
- Max Depression
- Vacuum Motors
- Weight (kg)
- Blower function
- Ash vacuum function

FLOOR CARE

FLOOR SCRUBBER DRYERS

EASY TO HANDLE, POWERFUL AND EFFICIENT

All units are designed to combine quality of components and ease to use for operators. From the small floor scrubber dryer for commercial stores to professional models for wide contexts, Comet offers the perfect solution for everyone.

PUSH SERIES

PUSH SERIES floor scrubbers dryers are the perfect solution for small and medium surface cleaning.

RIDE-ON SERIES

RIDE-ON SERIES floor scrubbers dryers are the perfect solution for big surface cleaning.

EVOTECH SERIES

The 3in1 EVOTECH SERIES Sweeps, Washes and Dries: is the perfect solution for the complete cleaning of big surfaces.

VACUUM CLEANERS

THE PERFECT MODEL FOR EVERY NEED

Comet product range of vacuum cleaners features a wide variety of units, from the compact ash vacuum for domestic use to professional models with 2 and 3 motors, that guarantees to the customer the possibility to choose the perfect solution for all his cleaning needs.

PREMIUM SERIES

PREMIUM SERIES features a range of models dedicated to domestic and semiprofessional vacuum cleaning.

PROFESSIONAL SERIES

PROFESSIONAL SERIES features a range of models dedicated to professional and industrial vacuum cleaning.

INDUSTRIAL SERIES

INDUSTRIAL SERIES features a range of models able to work continuously without the need to clean the filter and without any maintenance.

SWEEPERS

MANEUVERABILITY, EFFECTIVENESS AND VERSATILITY

The Comet sweepers, thanks to their extreme manoeuvrability and effectiveness, are designed to obtain optimal results on every type of surface. The variety and versatility of the models in the range contributes to providing bespoke solutions for each customer segment, ranging from home use, to the Horeca sector and right up to large industrial environments.

PUSH SERIES

PUSH SERIES sweepers sweepers are particularly suited to clean medium and large surfaces.

RIDE-ON SERIES

RIDE-ON SERIES sweepers sweepers are particularly suited to clean medium and large surfaces.

DRY STEAM GENERATORS

WET STEAM

Wet steam (low temperature) for applications that require greater mechanical power; saturated steam for applications that require a minimum of water on the surface.

PREMIUM SERIES

A complete range of dry steam generators, for any type of use, the products of PREMIUM series ensure maximum results and the best cleaning efficiency.

PROFESSIONAL SERIES

A complete range of dry steam generators, for any type of use, the products of PROFESSIONAL series ensure maximum results and the best cleaning efficiency.

SOLUTIONS

WIDTH
36/50/85 = Scrubbing width cm

CRS 85 BYT

SERIES
CPS = Comet Push Scrubber
CRS = Comet Ride-on Scrubber

TECHNICAL FEATURES
Li = Li-ion Battery
E = Electric
B = Battery
T = Tractioned
X = Versions with Battery + Battery Charger
Y = Versions with Battery Charger (but without Battery)

CAPACITY
18/20/30 = tank capacity (Premium) / **120/265/378 =** number of motors + tank capacity (Professional) / **120/265/378 =** number of motors + tank capacity (Professional models)

CVP 37 8 PBH

SERIES
CA = Comet Ash vacuum cleaner
CM = Comet Multifunction vacuum cleaner
CV = Comet Vacuum cleaner
CVP = Comet Vacuum cleaner (Professional)
CVC = Comet Vacuum and Carpet cleaner

CVI-U = Comet Vacuum Industrial universal motors
CVI-A = Comet Vacuum Industrial induction motors

TECHNICAL FEATURES
S = Steel tank
X = Stainless steel tank
E = Power Tool socket
M = "M" class certification
P = Polypropylene tank
H = Heavy Duty engine
B = Tilting tank
T = Three-phase models
FREE = Battery
ECO = Low consumption
OIL = For oil and grease
EX = Explosive atmospheres

MAX CLEANING WIDTH
Scrubbing width in mm (rounded)

CSW 1300 G-DSA

SERIES
CSW = Comet Sweeper

TECHNICAL FEATURES
B = Battery
G = Gasoline
D = Diesel
DSA = Dumping automated system

BOILER
3 / 3.3 / 5 / 8 / 10 / 15 / 18 / 21 / 30 = absorbed power in kW

DSG CAR-3 EXV

SERIES
DSG = Dry Steam Generator

TECHNICAL FEATURES
E = **E**lectric boiler supply
D = **D**iesel boiler supply
X = Stainless Steel casing (ino**X**)
P = **P**lastic casing
V = **V**acuum function
F = **F**oam function

PUSH SERIES

CPS 29 E

CPS 29 EH

CPS 35 BX Li

CPS 43 BX Li

CPS 36

CPS 36 ADVANCE

CPS 45

CPS 50

	CODE	MODELS	V	Hz	mm	m²/h	lt	lt	-	rpm	kg	W	mmH_2O	W	kg	(LxWxH) cm
	37021-00017	CPS 29 E	230	50	320	1015	2.8	5.6	mechanical	1000	7	200	1428	800	13	37x37x113
	37021-00018	CPS 29 EH	230	50	320	1015	2.8	5.6	mechanical	1000	7	200	1428	800	14	37x37x113
	37024-00002	CPS 35 BX Li	25,2	-	350 (422)	1500	1,9	1,50	mechanical	350	-	32	500	70	11,3	44,7x42,2x 115,9
NEW	37038-00002	CPS 43 BX Li	25,6	15,5	430 (450)	1200	5	8	mechanical	380	-	120	600	400	20	45x39x119
	37004-00061	CPS 36 E	220 / 240	50 / 60	360 (460)	1260	11	12/13	mechanical	130	18	370	850	400	53	120x43x97 78x43x69*
	37004-00085	CPS 36 BY	12	-	360 (460)	1260	11	12/13	mechanical	130	18	250	650	180	56	120x43x97 78x43x69*
	37004-00060	CPS 36 BX	12	-	360 (460)	1260	11	12/13	mechanical	130	18	250	650	180	61	120x43x97 78x43x69*
	37012-00034	CPS 36 ADVANCE E	220 / 240	50 / 60	360 (460)	1260	15	16	mechanical	160	27	300	850	350	57	98x47x99
	37012-00035	CPS 36 ADVANCE BY	24	-	360 (460)	1260	15	16	mechanical	160	27	400	850	270	46	98x47x99
	37012-00036	CPS 36 ADVANCE BX	24	-	360 (460)	1260	15	16	mechanical	160	27	400	850	270	70	98x47x99
	37011-00064	CPS 45 E	230	50	450 (540)	1600	30	32/35	mechanical	150	35	300	1200	700	66	117x58x78
	37011-00073	CPS 45 BY	24	-	450 (540)	1600	30	32/35	mechanical	150	31	400	1200	400	53	117x58x78
	37011-00065	CPS 45 BX	24	-	450 (540)	1600	30	32/35	mechanical	150	31	400	1200	400	94	117x58x78
	37031-00057	CPS 50 E	230	50	500 (800)	2000	44	50/60	mechanical	150	20	550	1700	800	95	116x51x98
	37031-00059	CPS 50 B	24	-	500 (800)	2000	44	50/60	mechanical	150	22	550	1280	400	62	116x51x98
	37031-00074	CPS 50 BY	24	-	500 (800)	2000	44	50/60	mechanical	150	22	550	1280	400	63	116x51x98
	37031-00061	CPS 50 BX	24	-	500 (800)	2000	44	50/60	mechanical	150	22	550	1280	400	66	116x51x98
	37031-00063	CPS 50 BT	24	-	500 (800)	2000	44	50/60	automatic	150	22	550	1280	400	67	116x51x98
	37031-00076	CPS 50 BYT	24	-	500 (800)	2000	44	50/60	automatic	150	22	550	1280	400	87	116x51x98
	37031-00065	CPS 50 BXT	24	-	500 (800)	2000	44	50/60	automatic	150	18	550	1280	400	122	116x51x98

* Detergent dosing kit standard

PUSH SERIES

CPS 55 EVO

CPS 60 EVO

CPS 70 EVO

	CODE	MODELS	V	Hz	mm	m²/h	lt	lt	-	rpm	kg	W	mmH₂O	W	kg	(LxWxH) cm
	37033-00010	CPS 55 EVO E	230	50	550 (800)	2200	55	60	mechanical	165	22	550	1700	800	74	127x65x102
	37033-00011	CPS 55 EVO B	24	-	550 (800)	2200	55	60	mechanical	150	22	550	1280	400	74	127x65x102
	37033-00013	CPS 55 EVO BY	24	-	550 (800)	2200	55	60	mechanical	150	22	550	1280	400	75	127x65x102
	37033-00012	CPS 55 EVO BT	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	83	127x65x102
	37033-00014	CPS 55 EVO BYT	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	84	127x65x102
	37033-00015	CPS 55 EVO BX	24	-	550 (800)	2200	55	60	mechanical	150	22	550	1280	400	130	127x65x102
	37033-00016	CPS 55 EVO BXT	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	139	127x65x102
	37033-00017	CPS 55 EVO BXT*	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	139	127x65x102
NEW	37036-00005	CPS 60 EVO BT	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	125	134x81x116
NEW	37036-00006	CPS 60 EVO BYT	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	127	134x81x116
NEW	37036-00029	CPS 60 EVO BYT*	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	127	134x81x116
NEW	On request	CPS 60 EVO BXT	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	129	134x81x116
NEW	On request	CPS 60 EVO BXT*	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	129	134x81x116
NEW	37036-00008	CPS 70 EVO BT	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	130	134x81x116
NEW	On request	CPS 70 EVO BYT	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	132	134x81x116
NEW	37036-00010	CPS 70 EVO BYT*	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	132	134x81x116
NEW	37036-00011	CPS 70 EVO BXT	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	134	134x81x116
NEW	37036-00009	CPS 70 EVO BXT*	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	134	134x81x116

* Detergent dosing kit standard

RIDE-ON SERIES

	CRS 55 MINI	CRS 60 MINI	CRS 66	CRS 66 ADVANCE	CRS 75/85 BT	CRS 75/85 BYT	CRS 100/100 ADVANCE	CRS 102

	CODE	MODELS	V	Hz	mm	m²/h	lt	lt	-	rpm	kg	W	mmH$_2$O	W	kg	(LxWxH) cm
NEW	37035-00007	CRS 55 MINI BT	24	-	550 (650)	3000	70	75	rear wheel-drive	150	22	380	1300	400	128	117x65x118
NEW	37035-00020	CRS 55 MINI BYT	24	-	550 (650)	3000	70	75	rear wheel-drive	150	22	380	1300	400	131	117x65x118
NEW	37035-00008	CRS 55 MINI BXT	24	-	550 (650)	3000	70	75	rear wheel-drive	150	22	380	1300	400	200	117x65x118
NEW	37035-00009	CRS 60 MINI BT	24	-	600 (650)	3200	70	75	rear wheel-drive	150	28	2x300	1300	400	133	117x65x118
NEW	37035-00021	CRS 60 MINI BYT	24	-	600 (650)	3200	70	75	rear wheel-drive	150	28	2x300	1300	400	136	117x65x118
NEW	37035-00010	CRS 60 MINI BXT	24	-	600 (650)	3200	70	75	rear wheel-drive	150	28	2x300	1300	400	205	117x65x118
	37010-00062	CRS 66 BT	24	-	660 (855)	3250	80	80/85	rear wheel-drive	170	32	2x 400	1300	400	139	123x63x121
	37010-00067	CRS 66 BYT	24	-	660 (855)	3250	80	80/85	rear wheel-drive	170	32	2x 400	1300	400	173	123x63x121
	37010-00063	CRS 66 BXT	24	-	660 (855)	3250	80	80/85	rear wheel-drive	170	32	2x 400	1300	400	217	123x63x121
	37010-00077	CRS 66 ADVANCE BT	24	-	660 (855)	3250	80	80/85	rear wheel-drive	170	32	2x 400	1300	400	139	123x63x121
	37010-00080	CRS 66 ADVANCE BXT	24	-	660 (855)	3250	80	80/85	rear wheel-drive	170	32	2x 400	1300	400	142	123x63x121
	37006-00073	CRS 75 BT	24	-	750 (900)	3750	110	130/155	front motorwheel	170	50	2x 400	1300	400	184	146x81x138
	37006-00074	CRS 85 BT	24	-	850 (1000)	4100	110	130/155	front motorwheel	170	50	2x 400	1300	400	187	146x81x138
	37006-00086	CRS 75 BYT	24	-	750 (900)	3750	110	130/155	front motorwheel	170	50	2x 400	1300	400	189	146x81x138
	37006-00087	CRS 85 BYT	24	-	850 (1000)	4100	110	130/155	front motorwheel	170	50	2x 400	1300	400	195	146x81x138
	37007-00026	CRS 100 BT	36	-	1000	6500	140	150/180	front motorwheel	150	75	1400	1734	550	300	180x103x150
	37007-00028	CRS 100 ADVANCE BT	36	-	1000	7400	140	150/180	front motorwheel	150	130	1400	1734	550	320	180x103x150
	37009-00030	CRS 102 BT	36	-	1020 (1250)	7140	200	210/220	front motorwheel	150	120	1500	1800	550	342	190x112x145

LITHIUM-ION BATTERY

	CPS 36 BX LI	CPS 38 ADVANCE BX LI	CPS 45 BX LI	CPS 50 BX/BXT LI	CPS 55 EVO BX/BXT LI	CPS 60/70 BXT LI	CRS 55/60 MINI BXT LI	CRS 66 ADVANCE BX LI	CRS 75/85 BXT LI

	CODE	MODELS	V	Hz	mm	m²/h	lt	lt	-	rpm	kg	W	mmH$_2$O	W	kg	(LxWxH) cm
NEW	37004-00098	CPS 36 BX LI	12	-	360 (460)	1260	11	12/13	mechanical	130	18	250	650	180	42,5	20x43x97
NEW	37012-00079	CPS 38 ADVANCE BX LI	24	-	380 (460)	1350	15	16	mechanical	160	27	400	850	270	63	98x47x99
NEW	37011-00117	CPS 45 BX LI	24	-	450 (540)	1600	30	32/35	mechanical	150	31	400	1200	400	77,50	117x58x78
NEW	37031-00174	CPS 50 BX LI	24	-	500 (800)	2000	44	50/60	mechanical	150	22	550	1280	400	66	116x51x98
NEW	37031-00176	CPS 50 BXT LI	24	-	500 (800)	2000	44	50/60	automatic	150	18	550	1280	400	122	116x51x98
NEW	37033-00047	CPS 55 EVO BX LI*	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	139	127x65x102
NEW	37033-00048	CPS 55 EVO BX LI*	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	139	127x65x102
NEW	37033-00049	CPS 55 EVO BXT LI*	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	139	127x65x102
NEW	37033-00050	CPS 55 EVO BXT LI*	24	-	550 (800)	2200	55	60	automatic	150	22	550	1280	400	139	127x65x102
NEW	37036-00019	CPS 60 BXT LI*	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	129	134x81x116
NEW	37036-00020	CPS 60 BXT LI*	24	-	600 (855)	3200	70	83	automatic	150	40	2x400	1200	400	129	134x81x116
NEW	37036-00021	CPS 70 BXT LI*	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	134	134x81x116
NEW	37036-00022	CPS 70 BXT LI*	24	-	700 (965)	3700	70	83	automatic	150	43	2x400	1200	400	134	134x81x116
NEW	37035-00034	CRS 55 MINI BXT LI*	24	-	550 (650)	3000	70	75	rear wheel-drive	150	22	380	1300	400	200	117x65x118
NEW	37035-00036	CRS 60 MINI BXT LI*	24	-	600 (650)	3200	70	75	rear wheel-drive	150	28	2x300	1300	400	205	117x65x118
NEW	37010-00103	CRS 66 ADVANCE BX LI*	24	-	660 (855)	3250	80	80/85	rear wheel-drive	170	32	2x 400	1300	400	142	123x63x121
NEW	37006-00109	CRS 75 BXT LI	24	-	750 (900)	3750	110	130/155	front motorwheel	170	50	2x 400	1300	400	189	146x81x138
NEW	37006-00110	CRS 85 BXT LI	24	-	850 (1000)	4100	110	130/155	front motorwheel	170	50	2x 400	1300	400	195	146x81x138

* Detergent dosing kit standard

EVOTECH SERIES

CRS 85 EVOTECH

CODE	MODELS	V	Hz	1° mm	2° mm	mm	mm	lt	lt	lt	lt	Ø	mm	rpm	kg	(LxWxH) cm
On request	CRS 85 B EVOTECH	24	-	880	1060	850 (900)	920	75	80	3	30	300	850	900	adjustable	140x105x130

SINGLE DISC MACHINES

CSD 43 17-110

CSD 43 17-110

	CODE	MODELS	V	Hz	mm	gir/min	lt	-	W	kg	(LxWxH) cm
NEW	46001-00046	CSD 43 17-110	230	50	430	175	12	2%	1100	39	54x43x112
NEW	46001-00047	CSD 50 16-140	230	50	500	160	15	2%	1100	45	64,5x52,5x116

PREMIUM SERIES

	CA 18 SC	CM 20 S	CM 30 S	CV 20 S	CV 20 X	CV 30 X	CV 30 XE	CV 50 XE

	CODE	MODELS	V	Hz	W(max)	lt	kPa	mmH_2O	l/s	n°	kg
NEW	40029-00016	CA 18 SC	230	50	800 (1000)	Total: 18	18	1800	30	1	3,6
	40023-00020	CM 20 S	220 / 240	50 / 60	1000 (1200)	Total: 20	18	1800	35	1	5,8
	40023-00019	CM 30 S	220 / 240	50 / 60	1000 (1200)	Total: 14+14	18	1800	30	1	9,0
	40023-00018	CV 20 S	220 / 240	50 / 60	1000 (1200)	Total: 20 Dust: 14 Liquids: 16	18	1800	40	1	5,5
	40028-00016	CV 20 X	220 / 240	50 / 60	1400 (1600)	Total: 20 Dust: 14 Liquids: 16	27	2700	70	1	7,0
	40028-00017	CV 30 X	220 / 240	50 / 60	1400 (1600)	Total: 30 Dust: 20 Liquids: 24	27	2700	70	1	7,4
	40028-00018	CV 30 XE	220 / 240	50 / 60	1400 (1600)	Total: 30 Dust: 20 Liquids: 24	27	2700	70	1	8,4
	40028-00019	CV 50 XE	220 / 240	50 / 60	1400 (1600)	Total: 50 Dust: 21 Liquids: 35	27	2700	70	1	12,0

PROFESSIONAL SERIES

	CVP 105 Bpk Li	CVP 112 P / Fly	CVP 115 P	CVP 130 PEM	CVP 120 P	CVP 120 X	CVP 130 P	CVP 130 X

	CODE	MODELS	V	Hz	W(max)	lt	kPa	mmH_2O	l/s	n°	kg
NEW	40056-00004	CVP 105 Bpk Li	18	-	200 (350)	Total: 10 Dust: 5	13	1300	20.2	1	4,9
	40025-00020	CVP 112 P	220 / 240	50 / 60	800	Total: 12	24	2400	44	1	6,8
NEW	40025-00018	CVP 112 P Fly	120	400	600	Total: 12	24	2400	44	1	8,5
	40006-00022	CVP 115 P	230/ 240	50 / 60	800	Total: 15	24	2400	44	1	8,5
	40041-00008	CVP 130 PEM	230	50	1400	Total: 30 Dust: 18 Liquids: 20	24	2400	70	1	11,0
	40008-00034	CVP 120 P	220 / 240	50 / 60	1200 (1400)	Total: 20 Dust: 14 Liquids: 16	24	2400	65	1	8,0
	40008-00004	CVP 120 X	220 / 240	50 / 60	1200 (1400)	Total: 20 Dust: 14 Liquids: 16	24	2400	65	1	8,0
	40008-00035	CVP 130 P	220 / 240	50 / 60	1200 (1400)	Total: 30 Dust: 15 Liquids: 17	24	2400	65	1	8,5
	40008-00022	CVP 130 X	220 / 240	50 / 60	1200 (1400)	Total: 30 Dust: 15 Liquids: 17	24	2400	65	1	8,5

PROFESSIONAL SERIES

	CVP 265 P	CVP 265 X	CVP 265 XB	CVP 365 XB	CVP 278 P	CVP 278 X	CVP 378 P Basic	CVP 378 P	CVP 378 X

	CODE	MODELS	V	Hz	W(max)	lt	kPa	mmH_2O	l/s	n°	kg
	40018-00054	CVP 265 P	220 / 240	50 / 60	2000 (2400)	Total: 65 Dust: 30 Liquids: 40	22	2200	130	2	11
	40018-00015	CVP 265 X	220 / 240	50 / 60	2000 (2400)	Total: 65 Dust: 30 Liquids: 40	22	2200	130	2	14,5
NEW	40018-00057	CVP 265 XB	220 / 240	50 / 60	2000 (2400)	Total: 65 Dust: 30 Liquids: 40	22	2200	130	2	18
	40020-00021	CVP 365 XB	220 / 240	50 / 60	3000 (3600)	Total: 65 Dust: 30 Liquids: 40	22	2200	195	3	25
	40019-00004	CVP 278 P	220 / 240	50 / 60	2000 (2400)	Total: 78 Dust: 35 Liquids: 48	22	2200	130	2	21,5
	40019-00008	CVP 278 X	220 / 240	50 / 60	2000 (2400)	Total: 78 Dust: 35 Liquids: 48	22	2200	130	2	26
NEW	40021-00015	CVP 378 P Basic	220 / 240	50 / 60	3000 (3600)	Total: 78 Dust: 35 Liquids: 48	22	2200	195	3	23,5
	40021-00005	CVP 378 P	220 / 240	50 / 60	3000 (3600)	Total: 78 Dust: 35 Liquids: 48	22	2200	195	3	23,5
	40021-00011	CVP 378 X	220 / 240	50 / 60	3000 (3600)	Total: 78 Dust: 35 Liquids: 48	22	2200	195	3	23,5

PROFESSIONAL SERIES

CVP 278 PBH / 378 PBH

CVP 278 XBH / 378 XBH

CVC 120 P

CVC 150 XH

CVC 278 XH

CODE	MODELS	V	Hz	W(max)	lt	kPa	mmH_2O	l/s	n°	kg
40005-00020	CVP 278 PBH	220 / 240	50 / 60	2000 (2400)	Total: 78 Dust: 35 Liquids: 48	24	2400	108	2	23,0
40005-00019	CVP 278 XBH	220 / 240	50 / 60	2000 (2400)	Total: 78 Dust: 35 Liquids: 48	24	2400	108	2	24,0
40004-00027	CVP 378 PBH	220 / 240	50 / 60	3000 (3600)	Total: 78 Dust: 35 Liquids: 48	24	2400	162	3	26,0
40004-00026	CVP 378 XBH	220 / 240	50 / 60	3000 (3600)	Total: 78 Dust: 35 Liquids: 48	24	2400	162	3	27,0
40003-00031	CVC 120 P	230	50	1200 (1400)	Total: 20	27	2700	70	1	9,5
40010-00005	CVC 150 XH	220 / 240	50 / 60	1200 (1400)	Total: 50 Dust: 21 Liquids: 35	22	2200	53	1	19,0
40011-00009	CVC 278 XH	230	50	2200 (2400)	Total: 78 Dust: 35 Liquids: 48	22	2200	108	2	29,5

PUSH SERIES

CSW 950 MF

CSW 700

CSW 700 B COURT

CSW 900

	CODE	MODELS	V	W	HP	kW	mm	1° mm	2° mm	m²/h	lt	-	km/h	m²		kg	(LxWxH) cm
	39001-00030	CSW 950 MF	-	-	-	-	480	-	950	3500	45	manual	-	-	-	27	97x93x128
	39001-00019	CSW 700 B	12	400	-	-	510	680	-	2620	45	mechanical	4	2	electric	78	126x63x85
	39001-00020	CSW 700 G*	-	-	5,5	2,9	510	680	-	2620	45	mechanical	4	2	manual	86	126x63x85
NEW	39002-00134	CSW 700 B COURT	12	400	-	-	510	680	-	2620	45	mechanical	4	2	electric	78	126x63x85
	39001-00021	CSW 900 B	12	400	-	-	710	880	-	3700	55	mechanical	4	3,02	electric	89	126x83x85
	39001-00022	CSW 900 G*	-	-	5,5	2,9	710	880	-	3700	55	mechanical	4	3,02	manual	97	126x83x85

RIDE-ON SERIES

CSW 1050 EVO

CSW 1150

CSW 1200

	CODE	MODELS	V	W	HP	kW	mm	1° mm	2° mm	% -	m²/h	lt	-	km/h	m²		kg	(LxWxH) cm
NEW	39002-00143	CSW 1050 EVO B	24	1570	-	-	650	850	1050	-	4900	55	automatic front	6,1	4	electric	262	123x79,5x115,8
	39002-00082	CSW 1150 B	24	1150	-	-	700	920	1140	12%	6200	62	automatic rear	6,1	6	electric	256	143x91x114
	39002-00083	CSW 1150 G*	-	-	5,5	4,1	700	920	1140	14%	7700	62	automatic rear	7,6	6	electric	288	143x91x114
	39002-00001	CSW 1200 B	24	2100	-	-	700	920	1150	10%	6200	62	automatic rear (12% max)	5,8	6	electric	260	143x91x114
	39002-00002	CSW 1200 G*	-	-	5,5	4,1	700	920	1150	10%	7700	62	automatic rear (14% max)	7,2	6	electric	300	143x91x114

* Powered by Honda. | Available on request models with limiting gradient up to about 20%.

RIDE-ON SERIES

CSW 1300

CSW 1300 DSA

CSW 1450 DSA

CSW 1600 DSA

CSW 1600 DSA
Closed cabin/with air conditioning

CSW 1600 DSA
Open cabin

	CODE	MODELS	V	W	HP	kW	mm	1° mm	2° mm	% -	m²/h	lt	-	km/h	m²		kg	(LxWxH) cm
	39002-00005	CSW 1300 B	24	2300	-	-	800	1050	1300	20%	9700	115	automatic front (max 20%)	7,5	6,4	electric	375	160x101x130
	39002-00010	CSW 1300 G*	-	-	6,5	4,88	800	1050	1300	10%	9700	115	automatic front (max 10%)	7,5	6,4	electric	434	160x101x130
	39002-00006	CSW 1300 D	-	-	6,7	4,92	800	1050	1300	10%	9700	115	automatic front (max 10%)	7,5	6,4	electric	434	160x101x130
	39002-00007	CSW 1300 B-DSA	24	2300	-	-	800	1050	1300	20%	9700	115	automatic front (max 20%)	7,5	6,4	electric	448	160x101x130
	39002-00008	CSW 1300 G-DSA*	-	-	6,5	4,88	800	1050	1300	10%	9700	115	automatic front (max 10%)	7,5	6,4	electric	434	160x101x130
	39002-00009	CSW 1300 D-DSA	-	-	6,7	4,92	800	1050	1300	10%	9700	115	automatic front (max 10%)	7,5	6,4	electric	454	160x101x130
	39002-00125	CSW 1450 DSA B	24	2300	-	-	900	1150	1440	20%	11500	180	rear electronics (max 20%)	7,9	11	electric	750	190x130x153
	39002-00124	CSW 1450 DSA D	-	-	16,8	12,5	900	1150	1440	18%	11500	180	front hydraulic (max 18%)	7,9	11	electric	870	190x130x153
	39002-00084	CSW 1600 D-DSA	-	-	20	14,9	1000	1485	-	18%	19200	490	automatic front	12,0	8,0	electric	950	225x145x154
	39002-00131*	CSW 1600 D-DSA 2 brushes	-	-	20	14,9	1000	1485	1615	18%	19200	490	automatic front	12,0	8,0	electric	950	225x145x154
NEW	39002-00123	CSW 1600 DSA D Closed cabin	-	-	20	14,9	1000	1485	1615	18%	19200	490	automatic front	12,0	8,0	electric	950	225x145x154
NEW	39002-00112	CSW 1600 DSA D Closed cabin with air conditioning	-	-	20	14,9	1000	1485	1615	18%	19200	490	automatic front	12,0	8,0	electric	950	225x145x154
NEW	39002-00122	CSW 1600 DSA D Open cabin	-	-	20	14,9	1000	1485	1615	18%	19200	490	automatic front	12,0	8,0	electric	950	225x145x154

* Powered by Honda. | * Available on request open cabin/closed cabin/cabin with air conditioning versions. | Available on request models with limiting gradient up to about 20%.

PREMIUM SERIES

DSG CAR-2.3 EPV

DSG CAR-3 EXV

DSG CAR-3 EXVF

DSG CAR-3.3 EX

	CODE	MODELS	V	Hz	kW	min	W	bar	MPa	°C	kPa	m³/h	Kg/h	lt	lt	lt	kg	(LxWxH) cm
NEW	45001-00023	DSG CAR-2.3 EPV	220/240	50/60	2,3	10	-	4	0,4	145	-	-	2,6	1,6 (2,4)	-	-	7,4	46 x 32 x 32
	45004-00039	DSG CAR-3 EXV	230	50	3	4	1.200	7	0,7	165	20,4	220	3,3	5	5	64	34,5	75 x 60 x 106
	45004-00040	DSG CAR-3 EXVF	230	50	3	4	1.500	7	0,7	165	20,4	220	3,3	5	5	64	34,5	75 x 60 x 106
	45006-00006	DSG CAR-3.3 EX	230	50	3	7	-	9	0,9	175	-	-	4,6	5	5	-	27	75 x 60 x 70

PROFESSIONAL SERIES

DSG-3 EXV

DSG-3 EX › DSG-3.3 EX

DSG-5 EX › DSG-8 EX

DSG-10 EX › DSG-15 EX DSG-18 EX

DSG-21 EX › DSG-30 EX

DSG-6 DP

	CODICE	MODELLI	V	Hz	kW	min	W	bar	MPa	°C	kPa	m³/h	Kg/h	lt	lt	lt	kg	(LxWxH) cm
NEW	45012-00006	DSG-3 EXV	230	50	3	8	1.200	8	0,8	170	20,4	220	4,2	5	5	20	36	40 x 80 x 100
NEW	45012-00007	DSG 5 EXV	400	50	5	7	1.200	9	0,9	175	20,4	220	8	5	5	20	36	40 x 80 x 100
	45003-00039	DSG-3 EX	230	50	3	8	-	9	0,9	175	-	-	4,2	5	5	-	29	60 x 40 x 73
	45003-00037	DSG-3.3 EX	230	50	3,3	7	-	9	0,9	175	-	-	4,6	5	5	-	29	60 x 40 x 73
	45010-00007	DSG-5 EX	400	50	5	7	-	9	0,9	175	-	-	8,0	10	5	-	32	60 x 40 x 73
	45010-00004	DSG-8 EX	400	50	8	6	-	9	0,9	175	-	-	13,5	10	5	-	32	60 x 40 x 73
	45005-00031	DSG-10 EX	400	50	10	9	-	10	1,0	180	-	-	14,8	25	5	-	103	130x78x108
	45005-00032	DSG-15 EX	400	50	15	8	-	10	1,0	180	-	-	22,2	25	5	-	103	130x78x108
	45005-00026	DSG-18 EX	400	50	18	6	-	10	1,0	180	-	-	26,5	25	5	-	103	130x78x108
	45005-00033	DSG-21 EX	400	50	21	7	-	10	1,0	180	-	-	31,0	25	5	-	103	130x78x108
	45005-00027	DSG-30 EX	400	50	30	6	-	10	1,0	180	-	-	44,5	25	5	-	103	130x78x108
	45011-00001	DSG-6 DP	230	50	0,35	7	-	10	1,0	180	-	-	50 / 90	20	3,5	18	105	95 x 62 x 85

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =

brand24

Follow us on

comet-cleaning.com

22001-07583

Comet Spa · via G. Dorso, 4 · 42124 Reggio Emilia · ITALY
Phone + 39 0522 386111 · Fax + 39 0522 386280
export@comet-spa.com · vendite@comet-spa.com