COMETNEWS

FDX Blade

GAS ENGINE COLD WATER HP CLEANERS
IDROPULITRICI CON MOTORE ENDOTERMICO AD ACQUA FREDDA



150 ÷ 300 bar

720 ÷ 960 l/h

Heavy-duty jobs won't be so heavy anymore

Le attività gravose non lo saranno più così tanto



FDX Blade

FDX Blade **XL**

COMET CLEANING DIVISION

FDX Blade



GENERAL FEATURES / *CARATTERISTICHE GENERALI*


- Honda and Loncin gasoline engines
- Comet BXD self-priming axial pump, 3 ceramic coated pistons and brass pump head
- Comet DWD-K self-priming triplex pumps, 3 ceramic pistons, brass pump head, bronze rods (only on 6.13 model)
- Low-pressure detergent suction
- 5 litres detergent tank with filter and cap
- Readily serviceable water suction filter
- Oil-alert safety device for engine protection
- Ø 260 foamed rubber wheels
- S/S pump cover on request

- *Motori a benzina Honda e Loncin*
- *Pompa autoadescante Comet BXD con 3 pistoni assiali rivestiti in ceramica e testata in ottone*
- *Pompa autoadescante Comet DWD-K con 3 pistoni in linea in ceramica, testata in ottone e bielle in bronzo (solo su modello 6.13)*
- *Aspirazione detergente in bassa pressione*
- *Serbatoio detergente da 5 lt con filtro e tappo integrato*
- *Filtro acqua di aspirazione facilmente ispezionabile*
- *Dispositivo di sicurezza Oil-Alert (mancanza olio) per la protezione del motore*
- *Ruote in gomma Ø 260 schiumate per uso gravoso*
- *Carenatura pompa in acciaio inox su richiesta*

MODELS *MODELLI*	**PUMP** *POMPA*	MAX		WORK					
		bar	**MPa**	**bar**	**MPa**	**l/h**	**HP**	**kg**	**(L x W x H) cm**
FDX Blade 5.13 13/150 G - Honda GP160	BXD	150	15	140	14	780	5,0	30	85 x 54 x 95 85 x 54 x 55*
FDX Blade 6.12 12/200 G - Loncin G200F	BXD	200	20	185	18,5	720	6,0	30	
FDX Blade 6.12 12/200 G - Honda GP200	BXD	200	20	185	18,5	720	6,0	30	
FDX Blade 6.13 13/180 G - Loncin G200F	DWD-K	180	18	165	16,5	780	6,0	35	
FDX Blade 6.13 13/180 G - Honda GX200	DWD-K	180	18	165	16,5	780	6,0	35	

* Height with folding handle closed. / *Altezza con manubrio regolabile chiuso.*

FDX Blade XL



GENERAL FEATURES / *CARATTERISTICHE GENERALI*

- Honda GX and Loncin gasoline engines; Yanmar L70N Diesel engine
- Comet EWD-K self-priming triplex pump with Pressure Booster, 3 ceramic pistons, brass pump head and built-in unloader valve (on 11.15 - 13.15 models)
- Comet ZWD self-priming triplex pumps, 3 ceramic pistons, brass pump head, bronze rods with banjo valve (on 7.14 - 9.16 - 13.16 models)
- Ejector kit for low-pressure detergent suction (only version with ZWD pump)
- 5 litres detergent tank with filter and cap
- Readily serviceable suction water filter
- Oil-alert safety device for engine protection
- Pressure gauge
- Ø 300 big pneumatic wheels; easy to handle also up and down steps and over uneven ground
- S/S pump cover on request

- *Versioni benzina con motori Honda GX e Loncin; versione Diesel con motore Yanmar L70N*
- *Pompa autoadescante Comet EWD-K con sistema brevettato Pressure Booster, 3 pistoni in linea in ceramica, testata in ottone e valvola integrata (su modelli 11.15 - 13.15)*
- *Pompa autoadescante Comet ZWD con 3 pistoni in linea in ceramica, testata in ottone, bielle in bronzo e valvola flangiata (su modelli 7.14 - 9.16 - 13.16)*
- *Kit eiettore per aspirazione detergente in bassa pressione (versioni con pompa ZWD)*
- *Serbatoio detergente da 5 lt con filtro integrato e tappo*
- *Filtro acqua di aspirazione facilmente ispezionabile*
- *Dispositivo di sicurezza Oil-Alert (mancanza olio) per la protezione del motore*
- *Manometro pressione*
- *Grandi ruote pneumatiche Ø 300; facilità di manovra su gradini e terreni sconnessi*
- *Carenatura pompa in acciaio inox su richiesta*

MODELS *MODELLI*	**PUMP** *POMPA*	MAX		WORK					
		bar	**MPa**	**bar**	**MPa**	**l/h**	**HP**	**kg**	**(L x W x H) cm**
FDX Blade XL 7.14 14/200 D - Yanmar L70N	ZWD + VRF 2	200	20	190	19	840	7,5	48	85 x 58 x 105 85 x 58 x 70*
FDX Blade XL 11.15 15/250 G - Honda GX340	EWD-K	250	25	230	23	900	11,0	50	
FDX Blade XL 13.15 15/300 G - Loncin G390F	EWD-K	300	30	275	27,5	900	13,0	48	
FDX Blade XL 13.15 15/300 G - Honda GX390	EWD-K	300	30	275	27,5	900	13,0	50	
FDX Blade XL 9.16 16/200 G - Honda GX270	ZWD + VRF2	200	20	190	19	960	9,0	50	
FDX Blade XL 13.16 16/280 G - Honda GX390	ZWD + VRF 2	280	28	255	25,5	960	13,0	48	

* Height with folding handle closed. / *Altezza con manubrio regolabile chiuso.*

FDX Blade

FDX Blade Loncin	**FDX Blade** Honda
 Gun GC 251 with protection *Pistola con protezione GC 251*	 GH 301 gun with Swivel *Pistola GH 301 con Swivel*
 Bent lance with detergent head, without nozzle *Lancia angolata con testina detergente, senza ugello*	 Bent lance with detergent head, without nozzle *Lancia angolata con testina detergente, senza ugello*
 Spray nozzle, 1/4” MEG connection *Ugello con getto a lama, connessione 1/4” MEG*	
 10 m rubber delivery hose kit *Kit tubo gomma mandata 10 m*	
 Plastic inlet water filter *Filtro ingresso acqua in plastica*	

FDX Blade XL

 GH 301 gun with Swivel *Pistola GH 301 con Swivel*	 Bent lance with detergent head, without nozzle *Lancia angolata con testina detergente, senza ugello*
 Spray nozzle, 1/4” MEG connection *Ugello con getto a lama, connessione 1/4” MEG*	 10 m rubber delivery hose kit *Kit tubo gomma mandata 10 m*
 Plastic inlet water filter **(on EWD-K models)** *Filtro ingresso acqua in plastica* ***(su modelli EWD-K)***	 Brass inlet water filter **(on ZWD + VRF2 models)** *Filtro aspirazione acqua in ottone* ***(su modelli ZWD + VRF2)***

Follow us on

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL = ISO 9001 =

Comet, Italian Excellence

COMET SPA › Reggio Emilia › Italy › phone +39 0522 386111 › info@comet-spa.com › **www.comet-spa.com**

1610 1967 00